

L269 x H129 mm - Aquapy MICRO (GB) 1L - GB124 2023.indd 1

IS AN INSECTICIDE	systems before spraying and for at least 30 minutes after treatment. Distribute
sistent insecticidal spray for use in food ance and tobacco industry insect control. ication as an ultra low volume aerosol. vaporant (FFAST* technology), low odour I Chrysanthemum cinerariaefolium and voc's). It provides rapid knockdown and	spray evenly throughout the area. Treatments should be timed to coincide with the time of maximum flight activity for the target insect. For tobacco beetles this will typically be in the late afternoon and evening. Direct the spray into identified insect harbourages. Spray as frequently as the situation demands. Treatment at weekly intervals is recommended. More frequent applications may be necessary for heavy infestations.
sects from their harbourages.	As a Space Spray Outdoors: The best conditions for outdoor spraying occur in the early morning or late afternoon and evening when conditions are most likely to be still.
Product Moths and Tobacco Beetles. es, Bed Bugs, Fleas, Saw-Toothed Grain srain Borers, Mealworm Beetles, Leather	SAFETY The (COSHH) Control of Substances Hazardous to Health Regulations 2002 (as amended) may apply to the use of this product at work. Avoid excessive contamination of coveralls. DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES. This material and its container must be disposed of in a safe way. Do not empty into drains.
100 ml/3000 m <sup>3</sup>	Do not contaminate waterbodies or watercourses with chemicals or used container. REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
	UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM
	TREATED AREAS UNTIL SURFACES ARE DRY. DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY, COLLECT EGGS AND REMOVE FEED, EXPOSED WATER AND MILK BEFORE APPLICATION.
Licro varies with temperature. at the temperature of the product is not	EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT. ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE
flow rate of AquaPy <sup>®</sup> Micro through the similar is ca. 30 ml per minute. LV machine, Micro-Gen or other suitable ct.	COUNCIL FOR WALES. HAZARDOUS TO BEES. EXCLUDE ANIMALS DURING APPLICATION. DO NOT APPLY TO CLOTHING OR BEDDING.
situations: of the goods or dampen the packaging rmeable packaging.	DO NOT APPLY DIRECTLY TO TOBACCO. DO NOT USE ON FILTER BEDS AT SEWAGE TREATMENT WORKS. COVER ALL WATER STORAGE TANKS before application. Protect milk machinery and milk containers from contamination.
anufacture, kitchens, slaughterhouses,	WASH HANDS AND EXPOSED SKIN before meals and after use. KEEP IN A SAFE PLACE.
aw material stores, etc. kitchens, etc. es, empty grain storage areas/silos and tt use on grain. g occupied wards), hotels, public baths, ommunity centres, cinemas, offices etc.	Wear suitable gloves. DO NOT BREATHE FOG OR SPRAY MIST. Otherwise wear respiratory protective equipment and eye protection (see HSE Guidance Booklet HS (G) 53: "Respiratory Protective Equipment – a practical guide for users"). However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
indoors and outdoors at sewage works tanks), amenity areas etc. FORE USE. screw cap and fit the 1 litre capacity / machine, Micro-Gen E2 or similar.	STATUTORY CONDITIONS RELATING TO USE FOR USE ONLY BY PROFESSIONAL OPERATORS. Users must comply in full with all their legal responsibilities under the Control of Pesticides Regulations 1986 (as amended), including complying with all Conditions of Approval.

### As a space spray Indoors: Close doors and windows and shut off ventilation STATUTORY CONDITIONS RELATING TO USE - CONTINUED Dose By ULV Indoors: Apply 100 - 400 ml of product per 3000 m<sup>3</sup> depending his on insect pest. iec By ULV Outdoors: Apply 20 ml of product per 100 m<sup>2</sup> for small areas.

**READ ALL PRECAUTIONS BEFORE USE** (HSE 6296)

### PRECAUTIONS

WASH ANY CONTAMINATION from skin or eves immediately. ate WASH HANDS AND EXPOSED SKIN before meals and after use. Keep only in the original container. Keep container tightly closed. KEEP IN A SAFE PLACE. Use appropriate containment to avoid environmental contamination. Safety data sheet available for professional user on request. HAZARD CLASSIFICATION: Not Classified WARNINGS

Protect from frost. Store at temperatures between 5-35°C. This product may separate on storage; shake container thoroughly before sed dispensing. Do not treat the filter beds of sewage works. Do not spray the moving parts of any machinery, electric motors and

OM switchnear

Not for use in plumbed-in spray systems.

ND Not for use on human clothing or for direct use on grain in grain storage areas/silos.

## DISPOSAL

Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste. When stored in a dry place at temperature not exceeding 35°O AquaPy® Micro has a shelf life of three years. This product is approved under The Control of Pesticides Regulations (1986) for use as directed (HSE 6296). WHO classification: III (Slightly hazardous).

# For 24 hour emergency information contact: +44 20 3807 3798

Further information is available from: Tel: 00800 12149451

Authorisation holder and marketing company: 2022 Environmental Science FR SAS Milton Hall, Ely Rd, Milton, Cambridge, CB24 6WZ United Kingdom www.uk.envu.com

Envu, the envu logo and AguaPy (r) is a registered trademark of Environmental Science ILS Inc.

Date of expiry : see the pack Batch number : see the pack

\*

GB124\_2023-