

UFI: T52A-309C-H00H-VDRN

**Hazard Statements:**

H360D May damage the unborn child.  
H372 Causes damage to organs (blood) through prolonged or repeated exposure.

**Precautionary Statements:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust.  
P280 Wear protective gloves.  
P308 + P313 IF exposed or concerned: Get medical advice/attention.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local regulations.



**DANGER**

To be used only by professional users holding certification demonstrating compliance with UK rodenticide stewardship regime requirements.

**Instructions for use:**

Read and follow the product information as well as any information accompanying the product or provided at the point of sale before using it. Using this product in a manner that is inconsistent with the label may be an offence. Refer to the CRRU UK Code of Best Practice (or equivalent) for guidance.

When this product is supplied to a user for the control of rodents, it shall only be supplied to a professional user holding certification demonstrating compliance with UK rodenticide stewardship regime requirements.

Carry out a pre-baiting survey of the infested area and an on-site assessment in order to identify the rodent species, their places of activity and determine the likely cause and the extent of the infestation.

Remove food which is readily attainable for rodents (e.g. spilled grain or food waste). Apart from this, do not clean up the infested area just before the treatment, as this only disturbs the rodent population and makes bait acceptance more difficult to achieve.

The product should only be used as part of an integrated pest management (IPM) system, including, amongst others, hygiene measures and, where possible, physical methods of control.

The product should be placed in the immediate vicinity of places where rodent activity has been previously observed.

Where possible, bait stations must be fixed to the ground or other structures.

Bait stations must be labelled with the following information: "do not move or open"; "contains a rodenticide"; "product name or authorisation number"; "active substance(s)" and "in case of accident, call a poison centre".

Bait stations must be clearly labelled to show they contain rodenticides and that they must not be moved or opened. Bait should be secured so that it cannot be dragged away from the bait station.

Place the product out of the reach of children, birds, pets and farm animals and other non-target animals.

Place the product away from food, drink and animal feeding stuffs, as well as from utensils or surfaces that have contact with these.

Wear protective chemical resistant gloves during product handling phase (EN374).

When using the product do not eat, drink or smoke. Wash hands and directly exposed skin after using the product. The frequency of visits to the treated area should be at the discretion of the operator, in the light of the survey conducted at the outset of the treatment. That frequency should be consistent with the recommendations provided by the relevant code of best practice.

Because of their delayed mode of action, anticoagulant rodenticides take from 4 to 10 days to be effective after consumption of the bait.

If bait uptake is low relative to the apparent size of the infestation, consider the replacement of bait points to further places and the possibility to change to another bait formulation.

If after a treatment period of 35 days baits are continued to be consumed and no decline in rodent activity can be observed, the likely cause has to be determined. Where other elements have been excluded, it is likely that there is resistance, therefore consider the use of a non-anticoagulant rodenticide, where available, or a more potent anticoagulant rodenticide. Also consider the use of traps as an alternative control measure.

Rodents can be disease carriers. Do not touch dead rodents with bare hands, use gloves or use tools such as tongs when disposing them.

Sites where burrow baiting is used should be visited more frequently than those where secure bait boxes are employed.

Do not open the place packs containing the bait.

**Application – For Use by Trained Professionals Only**

Ready-to-use bait against house mice (*Mus musculus*) and brown rats (*Rattus norvegicus*), adult and juvenile.

**Instructions for use indoors, outdoors around buildings.**

For use indoors and outdoors around buildings, in tamper-resistant bait stations or covered and protected bait points for the protection of health, goods in stock, food, and materials.

**Mice:** Place 1 (50g) ready-to-use place pack (polyglassine lined paper packets) per baiting point at 2 to 5 metre intervals.

**Rats:** Place 1 – 5 (50g) ready-to-use place packs (polyglassine lined paper packets), per baiting point at 5 to 10 metre intervals.

Bait may be applied directly into burrows.

Where possible, consider preventive control measures (e.g. plug holes, remove potential food and drinking as far as possible) to improve product intake and reduce the likelihood of reinfestation.

To reduce risk of secondary poisoning, search for and remove dead rodents during treatment at frequent intervals, in line with the recommendations provided by the relevant code of best practice.

When placing bait stations close to surface waters or drainage systems, ensure that bait contact with water is avoided.

# CONTRAC®

## RODENTICIDE

### KILLS RATS & MICE

A ready to use pelleted bait containing bromadiolone (0.005% w/w) for use as a rodenticide by the Professional Users with Demonstrated Competence (equivalent to Trained Professionals) for the control of brown rats (*Rattus norvegicus*) and house mice (*Mus musculus*) indoors, outdoors around buildings, and in burrows, for the protection of public health, stored products, and materials.

It is illegal to use this product for uses or in a manner other than that prescribed on this label.

Not for sale to the general public.

Active substance: Bromadiolone 0.005% w/w  
(CAS-Nr.: 28772-56-7)

Against mice and rats (adults and juvenile)

For use by Professional Users with Demonstrated Competence only

This product contains a bittering agent and a dye.

Authorisation Number: GB-2015-0919/NI-2015-0919

Product Type 14: Rodenticides

## NET WEIGHT: 5 kg

### 100 x 50g place packs

**Storage Instructions:**

Store in a dry, cool and well ventilated place.  
Keep the container closed and away from direct sunlight.  
Store in places prevented from the access of children, birds, pets and farm animals.  
Shelf life: 1 year

Manufactured By:



Authorisation holder:  
Bell Laboratories UK Ltd  
The Balance, 7th floor,  
Pinfold Street,  
Sheffield, S1 2GU  
United Kingdom  
Tel : +1 608-241-0202  
Email: emea@belllabs.com



6562-6

041924/02-24

# 911010

Protect bait from the atmospheric conditions (e.g. rain, snow, etc.). Place the baiting points in areas not liable to flooding.

Replace any bait in baiting points in which bait has been damaged by water or contaminated by dirt.

Baits must be placed to minimise the exposure to non-target species and children. Cover or block the entrances of baited burrows to reduce the risks of bait being rejected and spilled. Follow any additional instructions provided by the CRRU UK Code of Best Practice (or equivalent).

Do not use this product in pulsed baiting treatments.

Sites under a permanent baiting regime should be inspected regularly in accordance with product label directions. The period between visits should be determined by the technician in charge. Permanent baiting is strictly limited to sites with a high potential for reinfestation when other methods of control have proven insufficient. Sites under a permanent baiting regime should be inspected regularly in accordance with CRRU Guidance on permanent baiting. Permanent baiting strategy shall be periodically reviewed in the context of integrated pest management (IPM) and the assessment of the risk for re-infestation.

For permanent baiting follow any additional instructions provided by the CRRU Guidance on Permanent Baiting. The permanent baiting strategy shall be periodically reviewed in the context of integrated pest management (IPM) and the assessment of the risk for re-infestation.

Remove the remaining product at the end of treatment period (except when directly applied into burrows).

**Risk mitigation measures**

Where possible, prior to the treatment inform any possible bystanders (e.g. users of the treated area and their surroundings) about the rodent control campaign.

Do not use in areas where resistance to the active substance can be suspected.

Products shall not be used beyond 35 days without an evaluation of the state of the infestation and of the efficacy of the treatment (unless permanent baiting).

Do not rotate the use of different anticoagulants with comparable or weaker potency for resistance management purposes. For rotational use, consider using a non-anticoagulant rodenticide, if available, or a more potent anticoagulant.

Do not wash the bait stations or utensils used in covered and protected bait points with water between applications.

Dispose of dead rodents in accordance with local requirements. Poisoned rodents may be disposed of by the waste producer at an incinerator or landfill permitted to accept that type of waste, or collected by a registered waste carrier and taken for disposal at a suitably permitted site. For further information on disposal contact the Environment Agency (<http://www.environment-agency.gov.uk>) or SEPA (<http://www.sepa.org.uk>).

**First aid instructions:**

This product contains an anticoagulant substance. If ingested, symptoms, which may be delayed, may include nosebleed and bleeding gums. In severe cases, there may be bruising and blood present in the faeces or urine.

**Antidote:** Vitamin K1 administered by medical/veterinary personnel only.

**In case of:**

- **Dermal exposure:** wash skin with water and then with water and soap.
- **Eye exposure:** rinse eyes with eye-rinse liquid or water, keep eye lids open at least 10 minutes.
- **Oral exposure:** rinse mouth carefully with water. Never give anything by mouth to unconscious person. Do not provoke vomiting. If swallowed, seek medical advice immediately and show the product's container or label.

Contact a veterinary surgeon in case of ingestion by a pet.

Hazardous to wildlife.


**Poison Information:** UK medical professionals should contact the National Poisons Information Service ([www.npis.org](http://www.npis.org)) for further advice.

**Safe Disposal of the product and its packaging:**

At the end of the treatment, dispose of uneaten bait and the packaging in accordance with local requirements. Use of gloves is recommended.

For information on disposal in the UK contact the Environment Agency (<http://www.environment-agency.gov.uk>) or SEPA (<http://www.sepa.org.uk>).

Batch Number, Date of Manufacture, and Expiry Date are printed on the packaging.



3 00 30835 50136 7

		<p><b>CONTRAC®</b> <b>RODENTICIDE</b></p> <p><b>KILLS RATS &amp; MICE</b></p>	<p>A ready to use poisoned bait containing bromadiolone (0.005% w/w) for use as a rodenticide by the Professional Users with Demonstrated Competence (equivalent to trained Professionals) for the control of brown rats (<i>Rattus norvegicus</i>) and house mice (<i>Mus musculus</i>) indoors, outdoors around buildings, and in burrows.</p> <p>It is illegal to use this product for uses or in a manner other than that prescribed on this label.</p> <p>Not for sale to the general public.</p> <p>Active substance: Bromadiolone 0.005% w/w (CAS-Nr.: 2872-56-7)</p> <p>Against mice and rats (adults and juveniles)</p> <p>For use by Professional Users with Demonstrated Competence only</p> <p>This product contains a blinding agent and a dye.</p> <p>Authorisation Number: GB-2015-0919/NL-2015-0919 Product Type 14: Rodenticides</p>	<p><b>NET WEIGHT: 50g</b></p> <p>Place packs are not labeled for individual sale or use</p> <p>Authorisation holder: Bell Laboratories UK Ltd The Balance, 7th floor, Priolo Street Shafield, S1 2GU United Kingdom Tel : +1 608-241-0202 Email: emea@bellabs.com</p> <p>Manufactured By: LABORATORIES, INC. www.bellabs.com Madison, WI 53704 U.S.A. MADE IN USA</p>	<p><b>Use Instructions:</b> For use indoors and outdoors around buildings, in lamp-repellent bait stations or covered and protected bait points for the protection of health, goods in stock, food, and materials.</p> <p>Do not open the place packs containing the bait.</p> <p>Mice: Place 1 (50g) ready-to-use place pack (polygastine lined paper packets) per baiting point at 2 to 5 metre intervals.</p> <p>Rats: Place 1 - 5 (50g) ready-to-use place packs (polygastine lined paper packets), per baiting point at 5 to 10 metre intervals.</p> <p>Instructions for safe handling and use: Read any information accompanying the product or provided at the point of sale before using it. When using the product do not eat, drink or smoke. Wash hands and directly exposed skin after using the product. Place the product out of the reach of children, birds, pets and farm animals and other non-target animals. When placing bait points close to surface waters (e.g. rivers, ponds, water channels, dykes, irrigation ditches) or water drainage systems, ensure that bait contact with water is avoided.</p> <p><b>Safe Disposal of the product and its packaging:</b> At the end of the treatment, dispose of unopened bait and the packaging in accordance with local requirements.</p> <p>Use of gloves is recommended.</p> <p>For information on disposal in the UK contact the Environment Agency (<a href="http://www.environment-agency.gov.uk">http://www.environment-agency.gov.uk</a>) or SCA (<a href="http://www.spa.org.uk">http://www.spa.org.uk</a>).</p> <p><b>Storage Instructions:</b> Store in a dry, cool and well ventilated place. Keep the container closed and away from direct sunlight.</p> <p>Store in places prevented from the access of children, birds, pets and farm animals.</p>	<p>2007-11</p>
				<p><b>For use by Trained Professionals Only</b></p> <p><b>Use Instructions:</b> For use indoors and outdoors around buildings, in lamp-repellent bait stations or covered and protected bait points for the protection of health, goods in stock, food, and materials.</p> <p>Do not open the place packs containing the bait.</p> <p>Mice: Place 1 (50g) ready-to-use place pack (polygastine lined paper packets) per baiting point at 2 to 5 metre intervals.</p> <p>Rats: Place 1 - 5 (50g) ready-to-use place packs (polygastine lined paper packets), per baiting point at 5 to 10 metre intervals.</p> <p>Instructions for safe handling and use: Read any information accompanying the product or provided at the point of sale before using it. When using the product do not eat, drink or smoke. Wash hands and directly exposed skin after using the product. Place the product out of the reach of children, birds, pets and farm animals and other non-target animals. When placing bait points close to surface waters (e.g. rivers, ponds, water channels, dykes, irrigation ditches) or water drainage systems, ensure that bait contact with water is avoided.</p> <p><b>Safe Disposal of the product and its packaging:</b> At the end of the treatment, dispose of unopened bait and the packaging in accordance with local requirements.</p> <p>Use of gloves is recommended.</p> <p>For information on disposal in the UK contact the Environment Agency (<a href="http://www.environment-agency.gov.uk">http://www.environment-agency.gov.uk</a>) or SCA (<a href="http://www.spa.org.uk">http://www.spa.org.uk</a>).</p> <p><b>Storage Instructions:</b> Store in a dry, cool and well ventilated place. Keep the container closed and away from direct sunlight.</p> <p>Store in places prevented from the access of children, birds, pets and farm animals.</p>	<p>04192402-24</p>	

READ THE LABEL BEFORE USE. SEE OUTER CONTAINER FOR COMPLETE LABEL.

UFI: T52A-309C-H00H-VDRN



HAZARD STATEMENTS:

H372 Causes damage to organs (blood) through prolonged or repeated exposure.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust.

P280 Wear protective gloves.

P308 + P313 If exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local regulations.

**First aid and safety information:**  
For complete First Aid information see outer label. Antidote: Vitamin K<sub>1</sub> administered by medical/veterinary personnel only. UK National Poisons Information Service (www.npis.org) for further advice. Contact a veterinary surgeon in case of ingestion by a pet. Hazardous to wildlife.